

CULTIVAR	SAMPLE LOCATION	DATE	NUMBER OF FRUIT PER SAMPLE	TOTAL LENGTH PER SAMPLE (cm)	TOTAL WIDTH PER SAMPLE (cm)	LENGTH /WIDTH RATIO	TOTAL WT PER SAMPLE (grams)	MEAN WEIGHT PER FRUIT (grams)	EXTERNAL COLOR BASED ON COLOR CHART	TEXTURE BASED ON CHART	TOTAL RIND THICKNESS PER SAMPLE (mm)	TOTAL SEEDS PER SAMPLE	INTERIOR COLOR DESCRIPTION	TOTAL JUICE WT. PER SAMPLE (grams)	% JUICE	TSS (TOTAL SOLUBLE SOLIDS)	% ACID (BASED ON CITRIC ACID)	RATIO (TSS / % ACID)
BECK EARLI	Lindcove	9/28/1998	10	73.4	73.6	1.00	1925.1	192.5	4.0	3.0	60	0	MED. YEL.	626.2	32.5	9.1	1.43	6.36
BECK EARLI	Lindcove	9/28/1998	10	72.9	70.4	1.04	1732.9	173.3	4.3	2.5	59	0	LT. YEL.	678.7	39.2	8.6	1.66	5.17
BECK EARLI	Lindcove	9/28/1998	10	72.0	67.4	1.07	1596.8	159.7	4.2	2.5	57	0	LT. YEL.	567.1	35.5	8.2	1.22	6.74
BECK EARLI	Lindcove	9/28/1998	10	65.2	62.8	1.04	1550.1	155.0	4.2	3.0	66	0	LT. YEL.	500.5	32.3	7.9	1.39	5.69
BECK EARLI	Lindcove	9/28/1998	10	66.7	67.1	0.99	1404.1	140.4	4.0	2.0	66	0	V. LT. OR.	447.8	31.9	7.4	1.05	7.03
BECK EARLI	Lindcove	9/28/1998	10	68.7	69.3	0.99	1576.2	157.6	4.0	2.0	59	0	V. LT. OR.	570.2	36.2	7.1	1.16	6.12
BECK EARLI	Lindcove	9/28/1998	13	95.1	92.3	1.03	2245.0	172.7	4.2	2.0	75.5	0	LT. YEL.	891.8	39.7	9.1	1.65	5.55
BECK EARLI	Lindcove	9/28/1998	13	95.5	91.1	1.05	2152.3	165.6	4.2	2.0	78	0	LT. YEL.	773.4	35.9	10.4	1.65	6.30
BECK EARLI	Lindcove	10/12/1998	10	77.5	75.0	1.03	1991.4	199.1	4.2	2.5	70	0	MED. YEL. C	782.0	39.3	9.1	1.19	7.69
BECK EARLI	Lindcove	10/12/1998	10	76.5	75.5	1.01	2099.6	210.0	4.1	3.0	60	0	MED. YEL. C	846.0	40.3	9.8	1.12	8.77
BECK EARLI	Lindcove	10/12/1998	10	75.4	69.4	1.09	1766.2	176.6	4.0	2.7	63	1	MED. YEL. C	677.3	38.3	9.1	0.95	9.56
BECK EARLI	Lindcove	10/12/1998	10	73.9	69.3	1.07	1756.8	175.7	4.4	2.5	64	0	MED. YEL. C	658.2	37.5	9.0	1.16	7.77
BECK EARLI	Lindcove	10/12/1998	14	108.4	103.2	1.05	2665.1	190.4	4.0	2.5	84	0	MED. YEL. C	1183.4	44.4	8.4	1.17	7.19
BECK EARLI	Lindcove	10/12/1998	15	116.3	111.1	1.05	3146.1	209.7	4.0	3.0	96	0	MED. YEL. C	1271.5	40.4	8.4	1.26	7.09
BECK EARLI	Lindcove	10/12/1998	10	71.5	70.9	1.01	1724.8	172.5	4.0	2.5	68	0	LT. MED. OR	650.1	37.7	8.0	1.14	7.08
BECK EARLI	Lindcove	10/12/1998	10	72.7	70.5	1.03	1666.3	166.6	4.0	2.5	73	0	LT. YEL. OR	594.6	35.7	7.5	1.01	7.44
BECK EARLI	Lindcove	11/2/1998	5	41.6	40.8	1.02	1344.1	268.8	5.7	3.0	26	0	MED. OR.	595.1	44.3	10.3	1.20	8.61
BECK EARLI	Lindcove	11/2/1998	10	80.4	77.8	1.03	2380.2	238.0	6.0	2.3	58	0	MED. OR.	1066.4	44.8	10.1	1.31	7.66
BECK EARLI	Lindcove	11/2/1998	10	81.5	74.3	1.10	2178.4	217.8	5.7	2.7	60	2	MED. OR.	963.0	44.2	10.2	0.95	10.76
BECK EARLI	Lindcove	11/2/1998	10	81.7	76.0	1.08	2290.5	229.1	5.5	2.7	68	0	MED. OR.	932.4	40.7	10.3	1.07	9.61
BECK EARLI	Lindcove	11/2/1998	10	75.4	71.3	1.06	1854.1	185.4	4.5	2.5	62	0	LT. MED. OR	721.0	38.9	8.1	0.89	9.13
BECK EARLI	Lindcove	11/2/1998	10	74.4	73.3	1.02	1877.4	187.7	4.8	2.5	62	0	MED. OR.	801.4	42.7	7.9	0.93	8.54
BECK EARLI	Lindcove	10/11/1999	10	78.4	70.3	1.12	1789.1	178.9	4.0	3.0	64	0	LT. OR.	681.8	38.1	8.5	1	8.52
BECK EARLI	Lindcove	10/11/1999	10	80.6	68.2	1.18	1799.1	179.9	4.0	3.5	55	0	LT. OR.	621.9	34.6	7.9	1.08	7.39
BECK EARLI	Lindcove	10/11/1999	10	77.8	75.8	1.03	2168.5	216.9	4.0	3.0	69	1	LT. OR.	821.2	37.9	9.7	1.19	8.16
BECK EARLI	Lindcove	10/11/1999	10	74.0	70.5	1.05	1792.8	179.3	4.0	3.0	55	0	LT. OR.	717.8	40.0	8.5	1.14	7.44
BECK EARLI	Lindcove	10/11/1999	9	68.0	59.0	1.15	1351.8	150.2	4.0	3.0	53	0	LT. OR.	527.2	39.0	8.2	1.13	7.27
BECK EARLI	Lindcove	10/11/1999	10	78.1	69.5	1.12	1766.4	176.6	4.0	3.0	55	0	LT. OR.	717.9	40.6	7.9	1.25	6.37
BECK EARLI	Lindcove	10/11/1999	10	76.8	69.4	1.11	1781.0	178.1	4.0	3.0	62	0	LT. OR.	693.1	38.9	7.8	0.98	8
BECK EARLI	Lindcove	10/11/1999	10	76.6	66.3	1.16	1562.3	156.2	4.0	3.5	59	0	LT. MED. OR	647.2	41.4	9.7	1.42	6.85
BECK EARLI	Lindcove	10/11/1999	10	76.3	69.4	1.10	1761.3	176.1	4.0	3.5	56	0	LT. MED. OR	710.8	40.4	9.2	1.5	6.19
BECK EARLI	Lindcove	11/1/1999	10	82.4	74.3	1.11	2109.5	211.0	4.3	3.0	69	0	MED. OR.	914.0	43.3	8	0.88	9.13
BECK EARLI	Lindcove	11/1/1999	10	81.2	71.8	1.13	2067.1	206.7	4.5	3.5	51	0	LT. OR.	830.2	40.2	8.5	0.89	9.58
BECK EARLI	Lindcove	11/1/1999	10	75.8	72.1	1.05	1930.1	193.0	5.0	2.5	60	0	LT. OR.	872.9	45.2	11.3	1.31	8.67
BECK EARLI	Lindcove	11/1/1999	10	80.2	75.8	1.06	2264.4	226.4	5.0	2.5	65	0	LT. OR.	1045.6	46.2	9.9	0.96	10.33

CULTIVAR	SAMPLE LOCATION	DATE	NUMBER OF FRUIT PER SAMPLE	TOTAL LENGTH PER SAMPLE (cm)	TOTAL WIDTH PER SAMPLE (cm)	LENGTH /WIDTH RATIO	TOTAL WT PER SAMPLE (grams)	MEAN WEIGHT PER FRUIT (grams)	EXTERNAL COLOR BASED ON COLOR CHART	TEXTURE BASED ON CHART	TOTAL RIND THICKNESS PER SAMPLE (mm)	TOTAL SEEDS PER SAMPLE	INTERIOR COLOR DESCRIPTION	TOTAL JUICE WT. PER SAMPLE (grams)	% JUICE	TSS (TOTAL SOLUBLE SOLIDS)	% ACID (BASED ON CITRIC ACID)	RATIO (TSS / % ACID)
BECK EARLI	Lindcove	11/1/1999	10	85.7	70.5	1.22	1966.1	196.6	5.0	2.5	56	0	LT. OR.	863.8	43.9	10.1	1.1	9.1
BECK EARLI	Lindcove	11/1/1999	10	81.5	73.4	1.11	2118.4	211.8	5.0	2.5	62	0	LT. OR.	947.9	44.7	9.6	1.17	8.18
BECK EARLI	Lindcove	11/1/1999	10	83.4	71.6	1.16	2031.1	203.1	5.0	2.5	56	0	LT. OR.	887.7	43.7	9.9	0.94	10.54
BECK EARLI	Lindcove	11/1/1999	10	76.2	66.9	1.14	1743.2	174.3	4.5	3.0	51	0	LT. OR.	825.4	47.3	9.4	1.14	8.28
BECK EARLI	Lindcove	11/1/1999	10	77.7	68.1	1.14	1825.6	182.6	4.8	2.5	50	0	LT. OR.	883.3	48.4	10.4	1.28	8.12
BECK EARLI	Lindcove	9/26/2000	5	39.6	36.2	1.09	1000.4	200.08	3.5	2	23	0	LT OR	456.1	45.6	10.1	1.13	8.9
BECK EARLI	Lindcove	9/26/2000	10	75.6	71.5	1.06	1921.6	192.16	4.5	2	49	0	LT OR	862.9	44.9	8.9	1.09	8.25
BECK EARLI	Lindcove	9/26/2000	10	89.7	81	1.11	2847.4	284.74	4	2	63	0	LT. YEL.	1034.1	36.3	9.8	0.81	12.08
BECK EARLI	Lindcove	9/26/2000	10	87.6	79.3	1.10	2620.9	262.09	4	2.5	63	0	LT. YEL.	967.3	36.9	9.8	0.77	12.59
BECK EARLI	Lindcove	9/26/2000	10	86.9	78.5	1.11	2593.4	259.34	3.5	2.5	55	0	LT OR	1068.8	41.2	9.5	0.98	9.73
BECK EARLI	Lindcove	9/26/2000	10	77.7	70.5	1.10	1905.6	190.56	3.5	3	60	0	YELLOW	764	40.1	7.7	1.05	7.35
BECK EARLI	Lindcove	9/26/2000	10	76.2	70.3	1.08	1837.2	183.72	4	3	62	0	LT. YEL. OR	704.9	38.4	7.6	0.92	8.33
BECK EARLI	Lindcove	9/26/2000	10	78.5	73.6	1.07	2144.3	214.43	3	3.5	61	0	LT. YEL. OR	873.8	40.7	8.9	1.33	6.75
BECK EARLI	Lindcove	9/26/2000	10	78.8	76.2	1.03	2140.3	214.03	3.5	3	58	0	YELLOW	899.1	42.0	7.6	1.47	5.17
BECK EARLI	Lindcove	10/10/2000	5	46.7	39.1	1.19	1273	254.6	4	2.5	30	0	LT OR	601.4	47.2	10	0.87	11.54
BECK EARLI	Lindcove	10/10/2000	10	82.2	77.2	1.06	2419.1	241.91	4.5	2	53	0	LT OR	1112.6	46.0	9.4	0.8	11.75
BECK EARLI	Lindcove	10/10/2000	10	98.3	88.3	1.11	3620.9	362.09	4.3	3	66	0	LT. YEL. OR	1498.4	41.4	9.7	0.68	14.11
BECK EARLI	Lindcove	10/10/2000	10	90.7	83.9	1.08	3045	304.5	4	3	59	1	LT OR	1344.3	44.1	9.6	0.71	13.45
BECK EARLI	Lindcove	10/10/2000	10	92	84.2	1.09	3280.5	328.05	4.5	3	56	0	LT OR	1502.1	45.8	9.5	0.83	11.55
BECK EARLI	Lindcove	10/10/2000	10	80.1	72.9	1.10	2027	202.7	4	2	68	0	MED. YEL. C	799.5	39.4	8.7	0.88	9.83
BECK EARLI	Lindcove	10/10/2000	10	83.8	74.3	1.13	2154	215.4	4	2	69	0	MED. YEL. C	846.4	39.3	8	0.77	10.38
BECK EARLI	Lindcove	10/10/2000	10	82.5	75.5	1.09	2168.3	216.83	4.5	2	62	0	LT. OR.	982.5	45.3	10.2	1.05	9.71
BECK EARLI	Lindcove	10/10/2000	10	87.2	79.7	1.09	2500.3	250.03	4.3	2	66	0	LT. OR.	1078.4	43.1	9.3	0.95	9.83
BECK EARLI	Lindcove	11/1/2000	10	92.2	79.2	1.16	2693	269.3	7.5	2	55	0	LT. MED. OF	1257	46.7	10.9	0.84	12.96
BECK EARLI	Lindcove	11/1/2000	10	91.3	84	1.09	3100	310	6	2	60	0	LT. MED. OF	1347.7	43.5	9.8	0.74	13.25
BECK EARLI	Lindcove	11/1/2000	10	92.6	85.4	1.08	3269.9	326.99	6.5	2	59	0	LT. MED. OF	1425.3	43.6	11	0.72	15.15
BECK EARLI	Lindcove	11/1/2000	10	89.9	83.6	1.08	3111.8	311.18	7	2	60	0	MED. OR.	1469.2	47.2	10.9	0.78	14.01
BECK EARLI	Lindcove	11/1/2000	10	93.6	86.7	1.08	3457.7	345.77	6	2	57	0	MED. OR.	1625	47.0	10.2	0.86	11.95
BECK EARLI	Lindcove	11/1/2000	10	81.7	71	1.15	2030.5	203.05	5	2	60	0	LT. MED. OF	819.3	40.3	8.5	0.83	10.15
BECK EARLI	Lindcove	11/1/2000	10	80.8	72.1	1.12	2033.1	203.31	5.5	2	58	0	LT. MED. OF	939.8	46.2	8.8	0.72	12.17
BECK EARLI	Lindcove	11/1/2000	10	84.3	75.8	1.11	2356.6	235.66	5.5	2	54	0	LT. OR.	1109	47.1	10.4	1.04	9.91
BECK EARLI	Lindcove	11/1/2000	10	87.6	79.5	1.10	2714	271.4	5.5	2	59	0	LT. OR.	1310.9	48.3	9.8	0.94	10.39
BECK EARLI	Lindcove	11/21/2000	10	92.5	80.4	1.15	2798.6	279.86	11	3	64	0	MED. OR.	1397.7	49.9	11.4	0.87	13.21

CULTIVAR	SAMPLE LOCATION	DATE	NUMBER OF FRUIT PER SAMPLE	TOTAL LENGTH PER SAMPLE (cm)	TOTAL WIDTH PER SAMPLE (cm)	LENGTH /WIDTH RATIO	TOTAL WT PER SAMPLE (grams)	MEAN WEIGHT PER FRUIT (grams)	EXTERNAL COLOR BASED ON COLOR CHART	TEXTURE BASED ON CHART	TOTAL RIND THICKNESS PER SAMPLE (mm)	TOTAL SEEDS PER SAMPLE	INTERIOR COLOR DESCRIPTION	TOTAL JUICE WT. PER SAMPLE (grams)	% JUICE	TSS (TOTAL SOLUBLE SOLIDS)	% ACID (BASED ON CITRIC ACID)	RATIO (TSS / % ACID)
BECK EARLI	Lindcove	11/21/2000	10	93.8	86.2	1.09	3352.6	335.26	11	3	47	0	LT. OR.	1637.8	48.9	10.4	0.66	15.94
BECK EARLI	Lindcove	11/21/2000	10	103.3	91.9	1.12	4173.1	417.31	11.5	3.5	73	0	MED. OR.	1923.1	46.1	11.1	1.03	10.74
BECK EARLI	Lindcove	11/21/2000	10	97.5	85.4	1.14	3319.7	331.97	11	3.5	76	0	MED. OR.	1481.3	44.6	11.3	0.76	14.88
BECK EARLI	Lindcove	11/21/2000	10	102.5	90.8	1.13	3935.1	393.51	11.5	3.5	60	0	LT. OR.	1831	46.5	11.1	0.73	15.13
BECK EARLI	Lindcove	11/21/2000	10	83.3	73.4	1.13	2150.1	215.01	7.5	2.5	60	0	MED. OR.	986.1	45.9	8.6	0.78	11.06
BECK EARLI	Lindcove	11/21/2000	10	84.2	74.3	1.13	5142.1	514.21	8	2.5	66	0	MED. OR.	970	18.9	8.6	0.66	13.04
BECK EARLI	Lindcove	11/21/2000	10	91.5	81.5	1.12	2773	277.3	8	3	61	1	MED. OR.	1264.4	45.6	9.6	0.79	12.15
BECK EARLI	Lindcove	11/21/2000	10	92.9	85.4	1.09	3110.6	311.06	8	3	62	0	MED. OR.	1493.6	48.0	9.8	0.68	14.45
BECK EARLI	Lindcove	10/9/2001	10	84.5	69.8	1.21	1962.6	196.3	4.0	3.0	56	0	MED. YEL. C	761.8	38.8	9.6	0.85	11.33
BECK EARLI	Lindcove	10/9/2001	10	89.5	75.7	1.18	2457.7	245.8	4.0	3.5	59	0	MED. YEL. C	956.2	38.9	8.3	0.83	10.03
BECK EARLI	Lindcove	10/9/2001	10	91.4	80.2	1.14	2599.1	259.9	4.5	2.0	76	0	LT OR	1070.6	41.2	9.4	0.97	9.72
BECK EARLI	Lindcove	10/9/2001	10	81.2	74.4	1.09	2191.9	219.2	4.0	2.0	56	0	LT OR	1096.9	50.0	11.3	0.87	13.00
BECK EARLI	Lindcove	10/30/2001	10	80.6	71.0	1.14	1908.4	190.8	5.0	3.0	54	0	MED OR.	820.9	43.0	11.0	0.80	13.73
BECK EARLI	Lindcove	10/30/2001	10	79.9	69.6	1.15	1819.8	182.0	5.0	3.0	64	0	MED OR.	744.7	40.9	11.3	0.89	12.68
BECK EARLI	Lindcove	10/30/2001	10	96.9	89.1	1.09	3768.2	376.8	5.0	3.0	57	0	LT. MED. OF	1751.0	46.5	10.4	0.88	11.81
BECK EARLI	Lindcove	10/30/2001	10	91.5	83.0	1.10	3047.2	304.7	5.0	3.0	63	0	LT. MED. OF	1427.2	46.8	11.0	0.72	15.37
BECK EARLI	Lindcove	10/30/2001	10	99.8	83.5	1.20	3191.3	319.1	5.0	3.0	75	0	LT. MED. OF	1429.1	44.8	12.0	0.86	13.94
BECK EARLI	Lindcove	10/30/2001	10	96.0	81.7	1.18	2958.3	295.8	5.0	3.0	69	1	LT. MED. OF	1271.5	43.0	11.6	0.83	13.96
BECK EARLI	Lindcove	10/30/2001	10	101.3	88.0	1.15	3811.3	381.1	5.0	3.0	63	0	LT. MED. OF	1511.3	39.7	10.9	0.74	14.83
BECK EARLI	Lindcove	11/20/2001	10	84.5	73.5	1.15	2126.4	212.6	6.0	3.0	67	0	MED OR.	914.7	43.0	10.8	0.69	15.65
BECK EARLI	Lindcove	11/20/2001	10	90.9	77.6	1.17	2629.7	263.0	6.0	3.5	60	0	MED OR.	1182.5	45.0	10.2	0.64	16.16
BECK EARLI	Lindcove	11/20/2001	10	107.6	92.7	1.16	4375.0	437.5	10.5	3.0	63	0	MED OR.	2097.9	48.0	10.6	0.85	12.52
BECK EARLI	Lindcove	11/20/2001	10	96.1	85.4	1.13	3391.3	339.1	11.5	2.5	66	0	MED OR.	1607.8	47.4	10.3	0.84	12.23
BECK EARLI	Lindcove	11/20/2001	10	98.5	83.0	1.19	3237.8	323.8	11.5	2.0	65	0	MED OR.	1460.2	45.1	12.8	0.77	16.52
BECK EARLI	Lindcove	11/20/2001	10	92.1	78.6	1.17	2705.5	270.6	11.5	2.0	66	0	MED OR.	1232.9	45.6	12.5	0.79	15.76
BECK EARLI	Lindcove	11/20/2001	10	106.0	90.5	1.17	4084.5	408.5	11.5	3.0	66	5	MED OR.	1932.3	47.3	11.8	0.76	15.55
BECK EARLI	Lindcove	9/28/2002	10	85.8	74.8	1.15	2236.6	223.66	4.0	2.0	70	0	YELLOW	858.4	38.38	8.8	0.94	9.29
BECK EARLI	Lindcove	9/28/2002	10	84.6	80.3	1.05	2750.9	275.09	4.0	2.5	61	0	YELLOW	1211.0	44.02	8.4	0.94	8.91
BECK EARLI	Lindcove	9/28/2002	10	94.5	81.0	1.17	2734.7	273.47	3.5	3.0	84	0	YELLOW	998.1	36.50	8.6	0.87	9.90
BECK EARLI	Lindcove	9/28/2002	10	90.9	74.8	1.22	2325.3	232.53	4.0	2.5	70	0	YELLOW	907.7	39.04	9.4	1.10	8.52
BECK EARLI	Lindcove	9/28/2002	10	89.8	76.4	1.18	2482.9	248.29	4.0	2.5	68	0	YELLOW	968.4	39.00	8.5	0.93	9.12
BECK EARLI	Lindcove	9/28/2002	10	78.2	69.1	1.13	1764.1	176.41	5.0	2.0	69	0	YELLOW	406.9	23.0656	9.8	0.85	11.56

CULTIVAR	SAMPLE LOCATION	DATE	NUMBER OF FRUIT PER SAMPLE	TOTAL LENGTH PER SAMPLE (cm)	TOTAL WIDTH PER SAMPLE (cm)	LENGTH /WIDTH RATIO	TOTAL WT PER SAMPLE (grams)	MEAN WEIGHT PER FRUIT (grams)	EXTERNAL COLOR BASED ON COLOR CHART	TEXTURE BASED ON CHART	TOTAL RIND THICKNESS PER SAMPLE (mm)	TOTAL SEEDS PER SAMPLE	INTERIOR COLOR DESCRIPTION	TOTAL JUICE WT. PER SAMPLE (grams)	% JUICE	TSS (TOTAL SOLUBLE SOLIDS)	% ACID (BASED ON CITRIC ACID)	RATIO (TSS / % ACID)
BECK EARLI	Lindcove	9/28/2002	10	79.6	69.5	1.15	1783.6	178.36	7.0	2.0	66	0	YELLOW	459.0	25.7345	9.1	0.91	10.14
BECK EARLI	Lindcove	10/24/2002	10	86.3	76.7	1.13	2451.8	245.18	4.5	3.0	56	0	YELLOW	1102.1	44.9506	8.8	0.91	9.68
BECK EARLI	Lindcove	10/24/2002	10	84.7	73.5	1.15	2162.2	216.22	4.5	3.0	55	0	YELLOW	946	43.7517	7.9	0.89	8.87
BECK EARLI	Lindcove	10/24/2002	10	71.9	68.4	1.05	1661.7	166.17	6.0	3.0	71	0	YELLOW	523.2	31.49	13.5	1.27	10.66
BECK EARLI	Lindcove	10/24/2002	10	77.5	70.9	1.09	1891.7	189.17	5.0	4.0	72	0	YELLOW	703.9	37.21	11.8	1.11	10.67
BECK EARLI	Lindcove	11/21/2002	10	90.3	80.7	1.12	2804.4	280.44	11.5	2.0	62	0	MED OR.	1450.1	51.71	10.3	0.68	15.16
BECK EARLI	Lindcove	11/21/2002	10	91.9	81.8	1.12	3043.9	304.39	11.0	2.0	54	0	MED OR.	1591.9	52.30	10.8	0.75	14.48
BECK EARLI	Lindcove	11/21/2002	10	93.2	81.5	1.14	3015.6	301.56	11.0	2.5	66	0	MED OR.	1440.5	47.77	11.1	0.72	15.37
BECK EARLI	Lindcove	11/21/2002	10	95.7	81.0	1.18	2926.2	292.62	11.0	2.5	64	1	MED OR.	1338.0	45.72	11.7	0.67	17.39
BECK EARLI	Lindcove	11/21/2002	10	92.7	79.4	1.17	2808.6	280.86	12.0	2.0	62	1	MED OR.	1350.5	48.08	11.6	0.68	17.12
BECK EARLI	Lindcove	11/21/2002	10	72.8	67.5	1.08	1647.3	164.73	11.5	3.0	65	2	MED. OR.	653.2	39.65	14.4	1.03	13.92
BECK EARLI	Lindcove	11/21/2002	10	82.2	75.3	1.09	2255.9	225.59	11.5	3.0	69	0	MED. OR.	988.6	43.82	11.5	0.78	14.81
BECK EARLI	Lindcove	9/28/2003	10	67.0	62.0	1.08	1238.7	123.87	5.5	2.5	55	0	YELLOW	440.7	35.5776	9.7	0.81	12.03
BECK EARLI	Lindcove	9/28/2003	10	71.2	63.4	1.12	1343.9	134.39	6.5	2.5	60	0	YELLOW	476.6	35.4639	9.7	0.84	11.63